
ENTRANCE MATS AND TILES

LOGO MATS

ANTI-FATIGUE MATS

SLIP-RESISTANT MATS

COMMERCIAL MATTING CATALOG Fall 2019





# M+A Matting • Satisfaction Guaranteed

M+A mats are where design and function come together, where quality isn't compromised to meet a price point, and where solutions to your maintenance and décor problems come first. We promise our customers an unconditional, 100% satisfaction guarantee for the life of the product.

At M+A, we are committed to reducing our environmental impact. We are continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods. We have reduced waste going to landfills by 80% and recycle most paper, metal, cardboard, plastic, carpet, and rubber waste we generate. Our commitment is also evident in our development of dozens of mat styles that contain recycled raw materials.

For over five decades, M+A Matting has been America's leader in innovative floor protection systems, industrial safety, anti-fatigue products, and high performance entrance matting. If you are looking for better ways to minimize maintenance, prolong floor surface life, reduce cleaning costs, improve safety, or increase worker comfort, ask for M+A Matting.



#### **TABLE OF CONTENTS**

2, 3



Mat Symbols.

RODUCT NAME	MAT TYPE	LOCATION	P/
iperScrape™			
iperScrape Plus®			
ex Tip™	Scraper	Outdoor	
ontier			
ush Hog™			
e Wonderful World of WaterHog			
terHog®			
terHog®Drainable			
.terHog® Diamond			
iterHog® Legacy			
iterHog® Grand			
terHog® Modular Tiles			
terHog® Tiles			
terHog® Eco Tiles			
terHog® Eco Premier			
terHog®Eco Elite			
terHog® Eco Legacy			
terHog® Eco Grand			
terHog® Eco Elite Roll Goods			
terHog® Plus	Scraper/Wiper	Indoor/Outdoor	
terHog <sup>®</sup> Diamondcord			
terHog® Masterpiece® Select			
terHog® Low Profile			
rber Roll Goods			
croLuxx™			
ish™	•		
orStar®			
viro Plus®			
list			
pressionist	•		
bblestone			
tory			
zo Mats			
orStar® Impressions			
	•		
ssic Impressions <sup>™</sup> HD			
issic Impressions™ HD Custom Shape			
terHog Impressions HD®			
rber Roll Goods Inlay			
terHog® Eco Elite Roll Goods Inlay			
iterHog® Inlay			
aterHog® Legacy Inlay			
perScrape™ Impressions			
g Heaven® Impressions			
nefits of Anti-Fatigue Matting			
tFit StandUp®			
g Heaven® Plush			
g Heaven® Fashion	Anti-Fatigue	Indoor	
g Heaven®	Anti-Fatigue	Indoor	
g Heaven® Marble	Anti-Fatigue	Indoor	
g Heaven Prime®	Anti-Fatigue	Indoor	
g Heaven Prime® Décor	Anti-Fatigue	Indoor	
ppy Feet®	Anti-Fatigue	Indoor	
mplete Comfort <sup>™</sup>			
shion Max™			
shion Station™	5		
nplete Comfort™ II	5		
nfort Flow™	0		
nfort Scrape™	5		
nfort Flow™ HD	-		
	5		
	0		
y Heaven III™ Comfort	Anti Latiqua		
g Heaven III™ Comfort	-	1110001/0010001	
; Heaven III™ Comfort ; Heaven III™ Traffic eling Comfort™	Anti-Fatigue	Indoor/Outdage	
g Heaven III™ Comfort g Heaven III™ Traffic eeling Comfort™	Anti-Fatigue Slip-Resistant		
g Heaven III™ Comfort g Heaven III™ Traffic eeling Comfort™ ety Scrape™ ction Tread	Anti-Fatigue Slip-Resistant Slip-Resistant	Indoor	
g Heaven III™ Comfort g Heaven III™ Traffic eeling Comfort™ ety Scrape™ ction Tread ction Tread Soft	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue	Indoor eIndoor	
r Heaven III <sup>™</sup> Comfort Heaven III <sup>™</sup> Traffic eling Comfort <sup>™</sup> ety Scrape <sup>™</sup> tion Tread tion Tread Soft Step <sup>®</sup>	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue	Indoor eIndoor eIndoor/Outdoor	
۲ Heaven III <sup>™</sup> Comfort ۲ Heaven III <sup>™</sup> Traffic eling Comfort <sup>™</sup> ety Scrape <sup>™</sup>	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue	Indoor eIndoor eIndoor/Outdoor Indoor.	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant	Indoor eIndoor./Outdoor eIndoor/Outdoor Indoor Indoor	
g Heaven III™ Comfort g Heaven III™ Traffic eling Comfort™ ety Scrape™ tion Tread Soft	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant	Indoor Indoor Indoor/Outdoor Indoor Indoor Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant Clean Room	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom	Indoor Indoor/Outdoor Indoor/Outdoor Indoor Indoor Indoor. Indoor. Indoor.	
r Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom Restroom	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom Restroom	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom Restroom Specialty	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant/Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom Restroom Restroom Specialty Specialty	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant Clean Room Restroom Restroom Specialty Specialty Absorbent/Slip-Resistant	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom Restroom Specialty Specialty Absorbent/Slip-Resistant Snow Melting/Slip-Resistant	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom Restroom Specialty Specialty Absorbent/Slip-Resistant Snow Melting/Slip-Resistant Wiper	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom Restroom Restroom Specialty Specialty Absorbent/Slip-Resistant Snow Melting/Slip-Resistant Wiper Specialty	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom Restroom Restroom Specialty Specialty Absorbent/Slip-Resistant Snow Melting/Slip-Resistant Wiper Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom Restroom Restroom Specialty Specialty Absorbent/Slip-Resistant Snow Melting/Slip-Resistant Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom Restroom Restroom Specialty Specialty Absorbent/Slip-Resistant Snow Melting/Slip-Resistant Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty Specialty	Indoor	
g Heaven III <sup>™</sup> Comfort	Anti-Fatigue Slip-Resistant Slip-Resistant Slip-Resistant/Anti-Fatigue Slip-Resistant/Anti-Fatigue Anti-Fatigue Slip-Resistant Slip-Resistant Clean Room Restroom Restroom Specialty Specialty Absorbent/Slip-Resistant Snow Melting/Slip-Resistant Snow Melting/Slip-Resistant Specialty	Indoor	

PAGE **42** 

PAGE **32** 

LOGO MAT Collection

ANTI-FATIGUE & SLIP RESISTANT MAT COLLECTION



#### **Mat Symbols**



#### Scraper

Scraper mats are heavy-duty mats designed to stop mud and larger particles of dirt from being tracked inside buildings.



#### Scraper/Wiper

Scraper/Wiper mats provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough heavy-duty commercial fabrics. They retain dust in recessed grooves while absorbing moisture in the fabric surface.



#### **Carpeted (Wiper)**

Wiper mats are designed to stop any remaining dust and moisture. These mats are made with a variety of carpeted surfaces and colors to compliment a wide range of interiors.



#### **Anti-Fatigue**

Ergonomic mats and floor tiles reduce fatigue by up to 50%. Anti-fatigue mats help increase blood circulation and reduce pressure on the body's musculoskeletal system. They also reduce foot arch pronation, varicose veins, and pain commonly attributed to standing for long periods of time.



#### Anti-Slip

Uniquely designed texturized surfaces prevent slip and fall accidents. Heavy-duty rubber keeps the mats in place and prevents movement on a variety of surfaces.



#### Damp Areas

May be used in areas where moisture is present.



#### Wet Areas

Recommended for use in wet areas. While other mats may be suitable for use in wet areas, mats with the wet icon are the best choice for wet areas. These mats are designed to provide traction even in very wet conditions.



#### **Anti-Microbial**

Matting permanently treated with an anti-microbial agent that guards against degradation from micro-organisms and minimizes mats being a source of odors.



#### **Chemical Resistant**

Many M+A Matting mats are manufactured with nitrile rubber which is resistant to most commonly used chemicals.



#### **Oily Environment**

Nitrile rubber mats withstand degradation from oils and grease. These mats are suitable for use in environments with industrial oils, machine lubricants, greases, food grade oils, etc.



#### Safety

Matting and tiles with highly visible, colored borders and beveled edges reduce trips and falls.



#### Welding Safe

Matting that is suitable for use in locations of high temperatures and welding slag. The temperature resistant rubber can withstand temperatures up to 1742 degrees Fahrenheit from welding slag and hot metal shavings.



#### ESD

Matting that dissipates static electricity from people to protect sensitive equipment and small static generated electric shocks.



#### **Cart Traffic** Matting and tiles designed to withstand heavy cart traffic.




**Recycled Content** Contains recycled content.

## **Preventative Maintenance**

Mats are the first defense to stop dirt and moisture from entering your building. Mats filter these contaminants from entering the facility, saving thousands of dollars a year in cleaning costs. Mats also protect interior floor surfaces from excessive damage and wear. Entrance mats are the most effective way of stopping dirt and moisture at the door and keeping building maintenance costs to a minimum.

#### **Consider These Facts...**

- 70% to 80% of dust, grime, and dirt in a building is tracked in from the outside on people's feet—permanently damaging floors.
- One square yard of carpet can accumulate one pound of dirt a week—twice that in inclement weather.
- It is estimated that the cost to find and remove a single pound of dirt from a building can run in excess of \$600 in cleaning costs. As few as 150 people entering a facility can track in one pound of dirt in a 5 day work week costing over \$30,000 dollars annually to remove.
- By utilizing high performance entrance matting of at least 15' to 18' (as recommend by the U.S. Green Building Council and the Carpet and Rug Institute) you can capture as much as 85% to 95% of contaminants that enter the building, saving maintenance dollars and protecting building assets.



#### Safety and Ergonomics

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip and fall accidents (NSC).
- Compensation and medical costs associated with employee slipand-fall accidents total approximately \$70 billion annually (NSC).
- The average cost of a slip-and-fall injury exceeds \$12,000 (Wausau Insurance).
- The average cost to defend a slip-and-fall lawsuit is \$50,000 (NFSI).
- Back injuries account for 25% of all worker compensation claims annually.
- Cumulative Standing Trauma (CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates and absenteeism.
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue.

# M+A Matting has

# Scraper Mats

The First Line of Defense

Scraper mats are designed for placement outside to stop mud and large debris from entering your building. These mats provide aggressive scraping action to remove dirt and debris from shoes and trap it in recessed areas.

# WaterHog (Scraper/Wiper) Mats

The Second Step to Keeping Floors Clean & Dry

WaterHog mats feature a unique bilevel design that scrapes dirt and wipes moisture from shoes. These mats are made with durable fibers that quickly dissipate water, while dirt and debris fall to the bottom of the mat, beneath shoe level, to prevent tracking. WaterHog mats are typically used inside, but they may be used outside as well.

# **Carpeted (Wiper) Mats**

The Third Step Against Dirt & Moisture

As entrance mats, carpeted mats are designed to remove any remaining dirt and moisture from shoes. They also provide excellent dust control. Carpet is made in a variety of materials and colors to

suite a variety of needs and blend with virtually any décor. Carpeted mats are designed for indoor use. When used in conjunction with a scraper mat and WaterHog mat, they can stop as much as 85% to 95% of dirt from entering a building.



# the **right mat** for every job.

## Logo Mats

**Promote Your Brand** 

Logos, messages, and artwork add a professional look to any entrance or lobby, in addition to the cleanliness and safety benefits the mat itself provides. M+A can add your logo or custom artwork to mats of all types.



## **Flow-Through Mats**

Wet Area Solutions

Flow-through mats are designed for wet environments. The surface offers extra traction while the holes allow liquid to pass through to help eliminate slipping hazards. Flow-through mats also provide excellent anti-fatigue benefits for workers who stand for long periods of time.



Anti-Fatigue Mats Provide Comfort & Safety

Standing for long periods of time restricts blood flow to the lower extremities, causing soreness and fatigue. Anti-fatigue mats provide support to muscles in the lower legs and back and promote subtle movement in the leg and calf muscles which results in increased blood and oxygen flow. Anti-fatigue mats are available in a wide array of thicknesses and materials to suite a variety of workspaces and environments.

#### Slip-Resistant Mats Protect Against Slips and Falls

With slip-and-fall accidents comprising the majority of worker's compensation claims and a large share of unintended injuries in general, it's more important than ever to ensure that surfaces are as slip resistant as possible. Slip-resistant mats are an ideal solution for providing traction in slippery areas.











**Did you know**: 85% of dirt, dust, and moisture brought into a building can be contained within the first 15 to 18 feet with mats (ISSA).



#### **ENTRANCE MATTING**

#### <u>Scraper</u>


SuperScrape<sup>™</sup> SuperScrape Plus<sup>®</sup> Flex Tip<sup>™</sup> Frontier Brush Hog<sup>™</sup>

#### **WaterHog**

WaterHog<sup>®</sup> WaterHog® Diamond WaterHog<sup>®</sup> Legacy WaterHog<sup>®</sup> Grand WaterHog<sup>®</sup> Modular Tiles WaterHog<sup>®</sup> Tiles WaterHog<sup>®</sup> Eco Tiles WaterHog<sup>®</sup> Eco Premier WaterHog<sup>®</sup> Eco Elite WaterHog<sup>®</sup> Eco Legacy WaterHog® Eco Grand WaterHog<sup>®</sup> Eco Elite Roll Goods WaterHog<sup>®</sup> Plus WaterHog<sup>®</sup> Diamondcord WaterHog<sup>®</sup> Masterpiece<sup>®</sup> Select WaterHog<sup>®</sup> Low Profile

#### **Carpeted**

Berber Roll Goods MicroLuxx<sup>™</sup> Plush<sup>™</sup> ColorStar<sup>®</sup> Enviro Plus<sup>®</sup> Stylist Impressionist Cobblestone<sup>™</sup> Victory



Indoor or Outdoor

#### **SUPERSCRAPE**<sup>™</sup>

Scraper · Slip-Resistant

#### 3/16" Product No. 555 & 5555

SIZES

2'5" x 3'

3' x 5'

3' x 10' 4' x 6'

4' x 8'

6' x 6'

6' x 8'

Sizes are approximate.

- Clean Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- Safe Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)
- Suitable for Harsh Environments Grease/oil proof; chemical resistant
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber





#### SUPERSCRAPE PLUS®

Scraper · Slip-Resistant

#### 3/16" Product No. 5558

• <b>Clean</b> – Multi-directional surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking; drainable borders filter water off mat	<b>SIZES</b> 2'6" x 3' 3' x 5'
<ul> <li>Safe – Certified high-traction by the National Floor Safety Institute (NFSI)</li> </ul>	3 x 5 3' x 10' 4' x 6'
<ul> <li>Suitable for Harsh Environments – Grease/oil proof; chemical resistant</li> </ul>	
• Easy to Clean – Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized	Sizes are
• 3/16" thick nitrile rubber construction	approximate.



Indoor or Outdoor



#### FLEX TIP<sup>™</sup>

Scraper · Slip-Resistant





#### 5/8" Product No. 874

• **Clean** - 2,000 finger-like tips per square foot effectively remove dirt while deep wells hold it to minimize tracking

SIZES 24" x 32" 32" x 39" 36" x 72"

- Safe OSHA-compliant beveled edges ensure a safe transition from floor to mat
- **Comfortable** Finger-like tips provide excellent anti-fatigue qualities
- Easy to Clean Flexible design ensures easy handling and cleaning (shake off soil and hose off)
- 5/8" thick natural rubber construction makes this a substantial mat that is unlikely to move, even with heavy winds









**FRONTIER** Scraper · Slip-Resistant

#### 3/8" Product No. 437

- Spaghetti-like design filters dirt and moisture away from the surface
- Available with edging (sold separately)

SIZES	
0 / 10	4' x 8' 3' x 60' 4' x 60'
	nate. al lengths in 3' and



Customer satisfaction GUARANTEED



Burgundy



#### BRUSH HOG<sup>™</sup>

Scraper · Slip-Resistant


#### 3/8" Product No. 395

- **Clean** The turf-pile construction aggressively scrapes dirt from shoes and filters moisture and dirt away from the mat surface
- Fade Resistant Solution-dyed nylon will not fade in sunlight
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Comes standard with 78-mil smooth SBR backing, but is available with 78-mil universal cleated SBR backing

SIZES	
2' x 3' 3' x 4' 3' x 5' 3' x 6' 3' x 8' 3' x 10' 3' x 12' 3' x 12' 3' x 20' 4' x 6' Additional up to 60'.	See
price list f additional	

Sizes are approximate.

Charcoal



Burgundy

Charcoal





# The Wonderful World of

Since its introduction in 1986, the WaterHog has become American's best-selling mat. Renowned for its bi-level design and water dam border, it's highly effective at stopping dirt and moisture, keeping floors clean and dry.

The WaterHog product line has grown substantially over the last three decades to include a wide array of patterns, colors, and sizes. With so many options and a unique nomenclature, selecting a WaterHog mat can seem challenging at first, but these steps are designed to simplify the selection process.

#### **1. Pick Your Fabric Weight**



Both the 24-ounce *WaterHog* and 30-ounce *WaterHog Eco* product lines are made with PET, an eco-friendly polyester made from 100% post-consumer recycled plastic bottles.

24-ounce PET

# 30-ounce PET

WaterHog<sup>®</sup> Eco

#### 2. Pick Your Pattern and Color

The WaterHog (24-ounce) line comes in three designs with 19 color options. The WaterHog Eco (30-ounce) line comes in four designs with 8 color options.



# WaterHog<sup>®</sup> Mats



#### **3. Pick Your Border**



**Classic Rubber Border** 

#### **Fashion Fabric Border**

#### 4. Pick Your Backing

All WaterHog mats are backed with rubber. The standard backing is a 78-mil SBR (styrene-butadiene rubber) with either a smooth surface for placement on smooth/hard floors (like marble, tile, or wood) or with a universal cleated surface for placement on carpeted floors. Select WaterHog mats with a classic border are available with Anchor Safe® backing, a 100-mil nitrile backing with a heavy tread design to ensure the mats stays in place, even with heavy traffic.



**Smooth Backing** 78-mil SBR Recommended for hard floor surfaces



**Universal Cleated Backing** 78-mil SBR Designed to perform on both carpeted and smooth floors



Anchor Safe® Backing 100-mil nitrile Recommended for surfaces with heavy traffic or cart use

#### 5. Add Some Optional "Grandeur"

If you're interested in adding a little grandeur to your entrance matting, you may want to consider a *WaterHog Grand* or WaterHog Eco Grand mat. The luxurious rounded mats can be placed at either or both ends of:

- » WaterHog Diamond
- » WaterHog Legacy
- » WaterHog Eco Elite
- » WaterHog Eco Legacy
- » WaterHog Eco Premier



Half Oval




One End



Two Ends

www.mamatting.com







#### WATERHOG® DRAINABLE



This borderless WaterHog mat allows water to freely drain away

#### WATERHOG<sup>®</sup>

Scraper/Wiper  $\cdot$  Slip-Resistant

Classic Border Product No. 200 Fashion Border Product No. 280

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat

3/8"

3/8"


- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% postconsumer recycled rubber from car tires; PET surface fabric is made from 100% post-consumer recycled plastic bottles
- Available in 19 colors with choice of classic rubber border or fashion fabric border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on classic border mat only

18" x 27" 4' x 8' 2' x 3' 4' x 10' 3' x 4' 4' x 12' 3' x 5' 4' x 16' 4' x 20' 3' x 8' 3' x 10' 6' x 8' 6' x 12' 3' x 12' 6' x 16' 3' x 16' 3' x 20' 6' x 20' 4' x 6'

SIZES

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



IN THE

USA

www.mamatting.com

WaterHog Diamond Classic Border

#### WATERHOG® DIAMOND

Scraper/Wiper · Slip-Resistant

3/8"	<b>Classic Border</b>	Product No. 208
3/8"	<b>Fashion Border</b>	Product No. 221

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% postconsumer recycled rubber from car tires; PET surface fabric is made from 100% post-consumer recycled plastic bottles
- Available in 19 colors with choice of classic rubber border or fashion fabric border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on classic border mat only

USA

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharee.

SIZES

2' x 3'

3' x 4'

3' x 5'

3' x 6' 3' x 8.4'

3' x 10'

3' x 20'

4' x 6'

3' x 12.2' 3' x 16' 4' x 8.4' 4' x 10'

4' x 12.2'

4' x 16'

4' x 20'

6' x 6' 6' x 8.4'

6' x 12.2'

6' x 16'

6' x 20'

Sizes are approximate.





Indoor or Outdoor



#### WATERHOG® LEGACY

Scraper/Wiper · Slip-Resistant

Product No. 201

Classic Border

3/8"

	🔊 Indoor	or Outdoor	



#### 3/8" **Fashion Border** Product No. 202 SIZES · Clean & Dry - Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent 2' x 3' tracking; water dam border holds moisture keeping it off your floors 3' x 4' 3' x 5' (WaterHog mats can hold up to 1.5 gallons of water per square 3' x 8' yard) 3' x 10' • Durable - Reinforced rubber nubs prevent pile from crushing and 3' x 12' extend the performance life of the mat 3' x 16' 3' x 20' · Fade & Stain-Resistant - Solution-dyed PET fabric (24 ounces/ 4' x 4' yard<sup>2</sup>) is resistant to staining, dries quickly, and will not fade or rot 4' x 6' 4' x 8' · Safe - Beveled edges provide a safe transition from floor to mat; 4' x 10' certified high-traction by the National Floor Safety Institute (NFSI) 4' x 12' • Eco-Friendly - SBR rubber backing contains 20% post-consumer 4' x 16' recycled rubber from car tires; PET surface is made from 100% 4' x 20' post-consumer recycled plastic bottles 6' x 6' 6' x 8' · Available in 19 colors with choice of classic rubber border or fashion 6' x 10' fabric border 6' x 12' 6' x 16' · Feature 78-mil SBR rubber with universal cleated backing or 6' x 20' smooth backing; available with optional Anchor Safe® nitrile rubber backing on classic border mat only Sizes are approximate. Additional lengths up to 61'.





\*These colors are ONLY available in 3' and 4' widths.

Contraction of the second			
Camel			
			RAND
Station of	22.7	Scraper/Wiper • Slip-Res	sistant
Bordeaux	- 7.70	3/8" Diamond Half ( 3/8" Diamond + One 3/8" Diamond + Two E	End: 273
	Indoor or Outdoor	WaterHog Grand mats feature a beautiful half ov either or both ends of the standard WaterHog Dia and "grand" entrance to you	mond to create an attractive
Half Oval Product No. 272 One End Product No. 273	Two Ends Product No. 274	• Clean & Dry – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)	SIZES           HALF OVAL         TWO ENDS           3' x 1.8'         3' x 7'           4' x 2.3'         3' x 11.7'           6' x 3.3'         3' x 15.5'           ONE END         3' x 19.4'           3' x 5.5'         3' x 23.2'           3' x 10'         4' x 8'
		<ul> <li>Durable – Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat</li> </ul>	3' x 13.9' 4' x 12.6' 3' x 17.7' 4' x 16.5' 3' x 21.6' 4' x 20.3' 4' x 5.9' 6' x 10.1'
		<ul> <li>Fade &amp; Stain Resistant - Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot</li> </ul>	4' x 10.5' 6' x 14.8' 4' x 14.4' 6' x 18.6' 4' x 18.2' 6' x 22.4' 4' x 22'
	X	• <b>Safe</b> – Beveled edges provide a safe transition from floor to mat; certified high- traction by the National Floor Safety Institute (NFSI)	6' x 7' 6' x 11.6' 6' x 15.4' 6' x 19.3' 6' x 23.1'
A AND AND		• Eco-Friendly – Rubber backing contains 20% post-consumer recycled rubber from car tires	See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing.
Contraction of the second	8.27	<ul> <li>Available in 19 colors with 78-mil SBR rubber with universal cleated backing or smooth</li> </ul>	Sizes are approximate.

made in the USA




ALC: N

#### WATERHOG® MODULAR TILE

Scraper/Wiper · Slip-Resistant

#### 7/16" Product No. 2210

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain-Resistant Solution-dyed fabric (24 ounces/ square yard) is resistant to staining, dries quickly, and will not fade or rot
- Easy to Install Tiles link together easily and are designed to be installed without glue or the need for professional installers
- Tiles are 7/16" thick and available in 18" or 36" tiles with 4 color options
- Feature 200-mil SBR cleated rubber backing
- Side and corner borders (sold separately) securely link to the outer perimeter of the installation



side border

#### SIZES

18" x 18" x 7/16" 36" x 36" x 7/16" 18" Side Border 36" Side Border 18" Corner Border 36" Corner Border

7



**Charcoal** 

**Dark Brown** 

**Evergreen** 

**Medium Grey** 




**Medium Grey** 

www.mamatting.com







Uncontat brow

**Black Smoke** 

Chestnut Brown Grey Ash

Indigo

Khaki

MADE IN THE

USA

Maroon

Regal Red

**Southern Pine** 







#### WATERHOG<sup>®</sup> ECO PREMIER

Scraper/Wiper · Slip-Resistant

Product No. 2295

Product No. 2297

NaterHog Eco Premier	
WaterHog Eco Premier Classic Border Grey Ash	
Classic Rubber Border	Fashion Fabric Border



Fabric Border

• Clean & Dry - Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe

Classic Border

**Fashion Border** 

• Eco-Friendly - PET fabric is made from 100% postconsumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires

3/8"

3/8"

- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of classic rubber border or fashion fabric border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on classic border mat only

SIZES	
2' x 3'	4' x 8.4'
3' x 4'	4' x 10'
3' x 5'	4' x 12.2'
3' x 6'	4' x 16'
3' x 8.4'	4' x 20'
3' x 10'	6' x 6'
3' x 12.2'	6' x 8.4'
3' x 16'	6' x 12.2'
3' x 20'	6' x 16'
4' x 6'	6' x 20'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge

Sizes are approximate.



www.mamatting.com



Classic Border Maroon

Indoor or Outdoor

#### WATERHOG® ECO ELITE

Scraper/Wiper · Slip-Resistant


3/8"Classic BorderProduct No. 22403/8"Fashion BorderProduct No. 2241

- Clean & Dry Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Eco-Friendly PET fabric is made from 100% postconsumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of classic rubber border or fashion fabric border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe<sup>®</sup> nitrile rubber backing on classic border mat only

SIZES 2' x 3' 4' x 10' 4' x 12.2' 3' x 4' 3' x 5' 4' x 16' 4' x 20' 3' x 6' 3' x 8.4' 6' x 6' 3' x 10' 6' x 8.4' 3' x 12.2' 6' x 12.2' 3' x 16' 6' x 16' 6' x 20' 3' x 20' 4' x 6' 4' x 8.4'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.















#### WATERHOG<sup>®</sup> ECO LEGACY

Scraper/Wiper · Slip-Resistant

3/8"	<b>Classic Border</b>	Product No. 2290
3/8"	Fashion Border	Product No. 2291

3' x 12'

3' x 16' 3' x 20'

4' x 4'

4' x 6' 4' x 8'

4' x 10' 4' x 12'

4' x 16'

4' x 20' 6' x 6'

6' x 8' 6' x 10'

6' x 12'

6' x 16' 6' x 20'

Sizes are

approximate.

Additional lengths up


to 61'.

- Clean & Dry Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
   Eco-Friendly PET fabric is made from 100% post-consumer
   SIZES
   2' x 3' 3' x 4' 3' x 5' 3' x 8' 3' x 10'
- **Eco-Friendly** PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of classic rubber border or fashion fabric border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on classic border mat only

Classic Border Black Smoke

Black Smoke Chestnut Brown Grey Ash Indigo Khaki Maroon Regal Red Southern Pine





IN THE

USA

**Regal Red** 

Southern Pine

#### WATERHOG<sup>®</sup> ECO ELITE **ROLL GOODS**

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 2271\* and 2272\*\*

\*CUSTOM

See price list for additional

information.

**\*\*ROLL SIZE** 


SIZES

nosing)

6' x 67'

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- Durable & Fade Resistant Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed polypropylene fabric is fade-resistant
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% postconsumer recycled rubber from car tires
- Available in 8 colors with 78-mil smooth SBR rubber backing
- · Designed to be installed like carpeting or loose-laid like a mat










Indigo











#### WATERHOG® PLUS

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 185

• Clean & Dry - Bi-level surface effectively scrapes dirt	SIZES
and moisture from shoes, trapping it beneath shoe	2' x 3'
level to prevent tracking; water dam border holds	3' x 4'
moisture keeping it off your floors (WaterHog mats can	3' x 5' 3' x 10'
hold up to 1.5 gallons of water per square yard)	4' x 6'
• Durable - Reinforced rubber nubs prevent pile from	4' x 8' 5' x 7'*
crushing and extend the performance life of the mat	5' x 10'*
• Fade & Stain-Resistant - Solution-dyed PET fabric	6' x 12'

- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain-Resistant Solution-dyed PET fabric (30 ounces/square yard) is resistant to staining, dries quickly, and will not fade or rot
- Eco-Friendly PET fabric is made from 100% postconsumer recycled plastic from drink bottles
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 8 colors with a classic (rubber) border and durable 90-mil nitrile rubber backing











#### WATERHOG® DIAMONDCORD

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 296





WATERHOG<sup>®</sup> MASTERPIECE SELECT

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 265

SIZES

2' x 3'

3' x 4'

3' x 5'

3' x 8'

3' x 10'

4' x 6' 4' x 8'

4' x 10'

6' x 8'

Sizes are approximate. See price list for additional sizes.

Mats up to 40' are standard Cleated backing and available in Smooth backing on request.

in Smooth backing. \***Note:** Anchor Safe backing

available with a 30% upcharge. This backing is .100

mil thick nitrile rubber

Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain-Resistant Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 4 colors with a classic rubber border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; also available with optional Anchor Safe® nitrile rubber backing

• Clean & Dry - Bi-level surface effectively
scrapes dirt and moisture from shoes, trapping
it beneath shoe level to prevent tracking; water
dam border holds moisture keeping it off your
floors (WaterHog mats can hold up to 1.5
gallons of water per square yard)

- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain-Resistant Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 2 colors with a classic rubber border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing

SIZES 2' x 3' 4' x 6' 3' x 4' 4' x 8.4' 3' x 5' 4' x 10' 3' x 6' 6' x 6' 3' x 8.4' 6' x 8.4' 3' x 10'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing. \*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick nitrile rubber.




Nutmeg

Ocean Wave



Pewter


Thunderstorm



IN THE

USA

www.mamatting.com





#### WATERHOG<sup>®</sup> LOW PROFILE


Scraper/Wiper · Slip-Resistant

#### 1/4" Product No. 251


• Clean & Dry – Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking SIZES 3' x 5' 3' x 10' 4' x 6' 4' x 10' Sizes are approximate.


- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Low-profile borders help reduce potential tripping hazards; certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 3 neutral colors to blend with virtually any décor
- Feature Anchor Safe<sup>®</sup> backing (made from durable 100-mil nitrile rubber) designed to keep mats in place











Black

www.mamatting.com

Brown/Black

Dark Green

Deeper Navy

Golden Brown

**Midnight Grey** 

**Red Pepper** 










Black Smoke

Chestnut

Grey Ash

Indigo





Academy Blue

Black Bu

Burgundy

Cardinal Forest Green

Navy

Sable

Salt & Pepper





#### COBBLESTONE

**Carpeted** (Wiper)

#### 3/8" Product No. 870

4' x 6'

4' x 8'

3' x 60'

4' x 60'





VICTORY Carpeted (Wiper) 3/8" Product No. 873		Indoor	
<ul> <li>Durable polypropylene surface scrapes and traps dirt and moisture in the recessed grooves; dries quickly</li> <li>Designed to release dirt easily with daily vacuuming, or can be cleaned with commercial carpet cleaning system; not launderable</li> <li>Available in 5 colors with 70-mil smooth vinyl backing</li> </ul>	SIZES $2' \times 3' + 4' \times 6'$ $3' \times 4' + 4' \times 8'$ $3' \times 5' + 3' \times 60'$ $3' \times 6' + 4' \times 60'$ $3' \times 10'$ Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths lengths up to 40'.		







# LOGO MAT

ColorStar<sup>®</sup> Impressions Classic Impressions<sup>™</sup> HD Classic Impressions<sup>™</sup> HD Custom Shape WaterHog Impressions HD<sup>®</sup> Berber Roll Goods Inlay WaterHog<sup>®</sup> Eco Elite Roll Goods Inlay WaterHog<sup>®</sup> Legacy Inlay WaterHog<sup>®</sup> Legacy Inlay SuperScrape<sup>™</sup> Impressions Hog Heaven<sup>®</sup> Impressions

#### M+A Matting offers numerous types of logo mats.

Each of these logo mat processes result in high quality products your customers will be very proud to use. Pricing is calculated by each individual design number and quantity. Different size logo mats and standard mats may not be combined for quantity discount.

#### Ordering Logo Mats is as easy as 1-2-3:

- 1) Visit www.mamatting.com to submit your logo file using our easy to use web page.
- 2) Select Submit Design from My Account menu and log into your account.
- 3) Complete the necessary information on the submit page, attach your logo file and then click on **"Send your design"**. Artwork should be 300 dpi or greater.

Your proof will be emailed back to you within 24 business hours. Once your proof arrives by email, please take the following simple steps:

1) Approve or make necessary changes to the proof.

2) Return the art proof with any changes or approved art proof with purchase order and quantity of mats to **artwork5@mamatting.com**.

Acceptable	Unacceptable	Marginal
Vector Graphic Files:	Faxes	Color Prints*
AI, EPS, PDF, CDR, SVG	Emblems	Newspaper Ads
Image Files:	Copies of Emblems	Yellow Pages Ads
TIFF (600 DPI/PPI)	Banners	Business Cards
JPG (600 DPI/PPI)	Flags	
PNG (600 DPI/PPI)	Full Size Mats	
Black/White Ad Slicks	Badges	
Letterhead	Shirts	
Brochures	Hats	
Business Literature		

\*Color prints, if available, may be submitted to show color placement for a design.

### Create your own proofs with M+A Matting Mobile App!

Visit your app store and search "M+A Matting" to download app.



#### **M+A MATTING MOBILE APP**

M+A Matting mobile app provides an easy way for users to search and view existing mat designs as well as create proofs using simple tools. Each user will be able to:

- Create proofs using the mobile device camera or by loading an image from their library
- Have access to a personal dashboard that saves all current and former artwork submissions associated with their account
- Get instant artwork approval using e-signature feature
- Track orders of designs that were created via the mobile app
- Filter search results by product category, size or mat orientation

## M+A Matting's user friendly app is compatible with any mobile device. Below is a condensed list of compatible devices:

- Android
- Android tablets
- iPhone\*
- iPad\*
- iPod Touch\*
- \*all Apple products require iOS 6.0 or later







#### **COLORSTAR® IMPRESSIONS**

Logo · Carpeted (Wiper)

#### 3/8" SBR Rubber Backing Product No. 60

SIZES

2' x 3'

3' x 4' 3' x 5'

3' x 10'

4' x 6' 4' x 8'

5' x 8'

5' x 10'

6' x 10'

6' x 12'

sizes.

Sizes are approximate.

See price list for all additional

- Photographic-Quality Printing Logos and designs are digitally printed at 76 dpi (dots per inch), making fine details, shading, and 3-D images achievable
- Eco-Friendly PET (polyethylene terephthalate) carpet surface contains 50% post-consumer recycled content reclaimed from plastic bottles
- Fade Resistant PET yarn has excellent colorfastness and is resistant to fading from repeated washing/cleaning
- Stain Resistant PET yarn is naturally resistant to staining
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Choose from 60 standard colors
- SBR (48 mil) rubber backing; also available with nitrile rubber backing



#### **CLASSIC IMPRESSIONS™ HD**

Logo · Carpeted (Wiper)

3/8" SBR rubber border and backing3/8" Vinyl border and backing

Product No. 73 Product No. 73



#### CLASSIC IMPRESSIONS<sup>™</sup> HD CUSTOM SHAPE

#### 3/8" Nitrile rubber backing

#### Product No. 733

SIZES

2' x 3' 3' x 4' 3' x 5'

3' x 10'

4' x 6' 4' x 8'

5' x 8'

5' x 10' 6' x 10'

6' x 12'

Sizes are approximate.

sizes. PMS

custom color available at

an additional charge.

See price list for all additional

- Photographic-Quality Print Logos and designs are digitally printed with photographic quality; fine details, shading, and 3D images can be achieved
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI)
- Resilient High-twist, heat-set nylon (32-ounces/square yard) resists crushing to better trap dirt and extend the useful life of the mat
- Choose from 150 standard colors available
- Available with SBR or vinyl backing; custom shape mats have 90-mil rubber backing
- Available in 10 standard sizes and custom sizes in widths of 3', 4', 5', and 6' and lengths up to 40'
- Custom shape mats are available in sizes up to 6' wide and 23' long



Classic Impressions HD Logo



www.mamatting.com

WaterHog	
pressions HD	wi
Classic Borde	ər

alcole

# 

Color options

#### WATERHOG IMPRESSIONS HD<sup>®</sup>

Logo · Scraper/Wiper

3/8"	Classic Border	Product No. 2381
3/8"	Fashion Border	Product No. 2380

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- 56 standard color options; available with choice of classic rubber border or fashion fabric border
- Features 65-mil nitrile rubber with choice of smooth or universal cleated backing

SIZES	
2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	6' x 8'
3' x 10'	6' x 10'
3' x 12'	6' x 12'
3' x 16'	6' x 16'
3' x 20'	6' x 20'
See price	e list for

all additional sizes.

Sizes are approximate.



#### BERBER ROLL GOODS INLAY

 $Logo \cdot Carpeted$  (Wiper)

#### 3/8" Product No. 2283

- **Durable** Heavy 52-ounce solution-dyed fabric is stain resistant and has excellent light fastness; tough enough for outdoor use
- Attractive Loop pile "berber" construction features a hobnail design for an upscale look
- **Safe** High-performance rubber backing helps hold the mat in place to minimize slipping hazards
- Easy to Clean Polypropylene fabric is naturally resistant to staining and fading
- 17 colors to choose from
- Available in custom sizes up to 12' X 50'
- Designed to be installed like carpeting or loose laid like a mat; available with singed borders or vinyl nosing (sold separately)



Widths over 6' will be seamed.

approximate.



Bright Red	Burgundy	Charcoal	Dark Blue	Dark Brown	Dark Green	Emerald Green	Gold	Grey
Ligh	nt Blue Light Ye	ellow Orange	Purple	Sand	Solid Bla	ck Solid Red	White	



				A GINI	LENG			W
		OAN MY		10,				
Water	hog Eco Elite Logo	- all				Logo	• Scraper/Wiper	
	Sothern Pine			door or Outdoor	<ul> <li>moisture f tracking; v floors (Wa' square yat</li> <li>Durable &amp; pile from of solution-d</li> <li>Safe - Bev certified h</li> <li>17 logo co</li> <li>Features 7</li> <li>Designed available</li> </ul>	<b>Pry</b> - Bi-level surface ef from shoes, trapping it water dam border holds terHog mats can hold u rd) <b>A Fade Resistant</b> - Rein crushing and extend the lyed fabric is fade-resis veled edges provide a s igh-traction by the Nat olors and 8 background 78-mil SBR smooth rub	afe transition from floor ional Floor Safety Institu colors to choose from ber backing veting or loose-laid like a	event your r per ent mat; to mat; te (NFSI)
_	14		101204 (P	BACKGF	OUND COLORS —	Buccheleyes	1995 (1889) -	000000000
Black Sm	oke Ch	estnut Brown	Grey Ash	Indigo	Khaki 60 COLORS	Maroon	Regal Red	Southern Pine
Bright Red	Burgı	Indy	Charcoal Da	ark Blue Da	rk Brown Dark (	Green Emerald G	reen Gold	Grey





#### WATERHOG® INLAY

Logo · Scraper/Wiper

Product No. 234

4' x 10'

4' x 12'

4' x 16'

6' x 20'

3' x 10' 4' x 20'

3' x 12' 6' x 8'

3' x 16' 6' x 12' 3' x 20' 6' x 16'

3' x 4'

3' x 5'

4' x 6'

4' x 8'

Sizes are

price list for all additional sizes.



3/	/8" Fashion (fabric border)	Product No. 23	5
from shoes, traj	ii-level surface effectively scrape oping it beneath shoe level to pro ds moisture keeping it off your flo	event tracking; water	<b>SIZES</b> 2' x 3' 2' x 4'

• Durable & Fade Resistant - Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed fabric is fade-resistant

3/8" Classic (rubber border)

can hold up to 1.5 gallons of water per square yard)

- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% post-consumer recycled rubber from car tires
- 19 fabric colors to choose from
- Available with choice of classic rubber border or fashion fabric border



			(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		<b>3</b>			
Aquamarine*	Bluestone	Bordeaux	Camel Char	rcoal Dark I	Brown Evergre	en Gold*	Light Greer	Medium Blue
00.08				4 - 14 - 14 - 14 - 14 - 14 - 14 - 14 -			anda (24.20.5) IStan Lange es Andre Armene	
Medium Br	rown Medium Gr	ey Navy	Orange*	Purple*	Red/Black	Solid Red*	White*	Yellow*
						*These colors a	e ONLY available in 3	' and 4' widths.
			GUARANTEED		made in the USA			
and the		-					Indoor or Out	loor
1	Ë	EVEL				RHOG <sup>®</sup> L Logo - Scra c (rubber border)	per/Wiper	INLAY
			10.11			on (fabric border)		t No. 262
	50	UG			dirt and moistur shoe level to pre holds moisture k mats can hold u square yard)	-level surface effect e from shoes, trappi vent tracking; water eeping it off your flo p to 1.5 gallons of w <b>Resistant</b> - Reinford	ng it beneath dam border ors (WaterHog rater per	SIZES 2' x 3' 4' x 10' 3' x 4' 4' x 12' 3' x 5' 4' x 16' 3' x 8' 4' x 20' 3' x 10' 6' x 6' 3' x 12' 6' x 8' 3' x 12' 6' x 8'
Aquamarine*	Bluestone	Bordeaux	Camel	Charcoal		e from crushing and of the mat; solution	extend the	3' x 16' 6' x 10' 3' x 20' 6' x 12'
SAR	110				is fade-resistant • Safe - Beveled e from floor to mat	dges provide a safe	transition	4' x 4' 6' x 16' 4' x 6' 6' x 20' 4' x 8' Sizes are approximate.
Dark Brown	Evergreen	Gold* Light	Green Medium Blue	Medium Brown		ubber backing conta ecycled rubber from	ains 20%	
		22				354		
Medium Grey	Navy	Orange*	Purple*	Red/B	Black Soli	id Red*	White*	Yellow*
						*These color	rs are ONLY available	in 3' and 4' widths.












Visit mamatting.com for imprint area and other design specifications.



#### SUPERSCRAPE<sup>™</sup> IMPRESSIONS

 $Logo \cdot Scraper$ 

#### 3/16" Product No. 3559

- **Clean** Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- Safe -Certified high-traction by the National Floor Safety Institute (NFSI)
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered

• Features 3/16" thick nitrile rubber with

circular surface cleats

3' x 5' 3' x 10' 4' x 6' 4' x 8' 6' x 6' 6' x 8' Sizes are approximate. PMS custom color available at an additional charge.

SIZES

2.5' x 3'

3' x 4'

A B C D E F G H I J K L M N O

# HOG HEAVEN® IMPRESSIONS

Logo · Anti-Fatigue

5/8" Product No. 3422

- **Comfortable** 5/8" high-density nitrileblended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile Welding safe; grease/oil resistant; chemical resistant

**SIZES** 2' x 3' 3' x 5' 3' x 12' 4' x 6'

Sizes are approximate.

See price list for all additional sizes. PMS custom color available at an additional charge.











#### ANTI-FATIGUE MAT & SLIP RESISTANT MAT COLLECTION

GetFit StandUp® Hog Heaven® Plush Hog Heaven® Fashion Hog Heaven® Hog Heaven® Marble Hog Heaven Prime® Hog Heaven Prime® Decor Happy Feet® Complete Comfort<sup>™</sup> Cushion Max<sup>™</sup> Cushion Station<sup>™</sup> Complete Comfort<sup>™</sup> II Comfort Flow<sup>™</sup> Comfort Scrape<sup>™</sup> Comfort Flow  $HD^{TM}$ Hog Heaven III<sup>™</sup> Comfort Hog Heaven III<sup>™</sup> Traffic Kneeling Comfort<sup>™</sup> Safety Scrape<sup>™</sup> **Traction Tread Traction Tread Soft** Wet Step® Sure Cushion Sure Tread V-Groove Sure Stride<sup>®</sup> Sure Stride® Plush

#### The Benefits of ANTI-FATIGUE MATS



Anti-Fatigue mats alleviate stress to the back and legs by providing a cushioned surface to stand on.


Anti-Fatigue mats are perfect for people who have to stand or work in the same place for continual periods of time.

Anti-Fatigue mats are recommended for a wide variety of industries and are commonly placed in various applications such as:

- Production or assembly lines
- Stand Up Desks or Workstations
- Kitchens
- Cashier Desks
- Laboratories and many more

# M+A Matting Anti-Fatigue mats have been shown to do the following:

- **REDUCE ENERGY CONSUMPTION BY UP TO 50%** in the supporting muscles such as those in the leg and the lower back, when compared to standing on a hard floor
- **REDUCE FATIGUE** by promoting subtle movement in the leg and calf muscles, resulting in increased blood and oxygen flow



#### BALANCED

- Improves structural alignment and joint function
- Improves muscular balance and prevents nerve impingement
- Reduces uneven wear and tear on joints
- Body weight evenly distributed
- Efficient natural movement
- Reduced pressure on organs

#### IMBALANCED

- Neck pain and headaches
- Shoulder restrictions and pain
- Arm and hand pain nerve entrapment
- Bulging discs/back pain
- Uneven pressure/knee pain
- Uneven weight distribution
- Foot and ankle pain




#### **Safety and Ergonomics**

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip and fall accidents (NSC)
- Compensation and medical costs associated with employee slip-and-fall accidents total approximately \$70 billion annually (NSC)
- The average cost of a slip and fall injury exceeds \$12,000 (Wausau Insurance)
- The average cost to defend a slip-and-fall lawsuit is \$50,000 (NFSI)
- · Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma (CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates, and absenteeism
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue

Testing shows that ergonomic matting can reduce worker fatigue.





5/8" PET Fabric Top 5/8" Rubber Top	Product No. 4443 Product No. 4447	
<ul> <li>Comfortable - 5/8" nitrile-blended cushid excellent anti-fatigue properties and aller extended standing</li> <li>Safe - Beveled edges provide a seamless floor to mat; edges will not crack or curl</li> </ul>	viates pain from	SIZES 22" x 32" 22" x 50" 22" x 60" 34" x 47" 34" x 60"
• Stain-Resistant - Recycled PET fabric is e resitant to staining; designer top is resist		
<ul> <li>Available in 2 surface types - an environm top (made from recycled plastic bottles), durability. Rubber top is grease/oil resist welding safe; ESD rating of electrically co</li> </ul>	or a rubber top for m ant*; chemical resis	aximum
*The 100% nitrile rubber surface of GetFit StandUp (r nitrile-blended cushion is grease/oil resistant.	ubber top) is grease/oil pro	oof while the



#### HOG HEAVEN® PLUSH

Anti-Fatigue





SIZES


2' x 3'

3' x 5' 3' x 12'

- Comfortable High-density, closed-cell nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI); sloped edges provide a safe transition from floor to mat
- **Durable** Solution-dyed nylon carpet surface is faderesistant and molded, not glued, to the nitrile-blended cushion so it will not separate
- Attractive -Available in five colors to blend with virtually any décor
- Available in 5/8" or 7/8" thicknesses









## HOG HEAVEN® FASHION

**Anti-Fatigue** 

#### 5/8" Product No. 441 7/8" Product No. 442

SIZES

2' x 3'

3' x 5' 3' x 12'

Additional

lengths up to 60'.

See price

list for all additional

Sizes are approximate.

sizes.

- **Comfortable** High-density, closed-cell nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** Solution-dyed fabric surface is fade-resistant and molded, not glued, to the nitrile-blended cushion so it will not separate
- Attractive Available in four neutral colors to blend with virtually any décor
- Available in 5/8" or 7/8" thicknesses








www.mamatting.com

#### **HOG HEAVEN®**

#### Anti-Fatigue · Slip-Resistant



		Indoor
5/8" Striped Border Produc 7/8" Black Border Produc	t No. 421 t No. 423 t No. 422 t No. 424	S and the second
<ul> <li>Comfortable - High-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort</li> <li>Safe - Certified high-traction by the National Floor Safety Institute (NFSI); sloped edges provi a safe transition from floor to mat</li> <li>Durable - Nitrile-blended cushion provides year of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate; edges will not crack or curl</li> <li>Versatile - Welding safe; ESD rating of electrica conductive; chemical resistant; surface is grease/oil proof and cushion is grease/oil resistant</li> </ul>	S Additional lengths up to 60'. See price list for all additional sizes.	Hog Heaven Caution Yellow
• Available in 5/8" or 7/8" thicknesses with solid black or with OSHA-approved caution yellow borders on two sides	approximate.	
Caution Yellow Black Bo	irder	










#### **HOG HEAVEN® MARBLE**

Anti-Fatigue · Slip-Resistant

HOG HEAVEN PRIME® Anti-Fatigue · Slip-Resistant





#### 5/8" Black ProductNo.4220 5/8" Blackw/Yellow Striped Border Product No. 4221 • Comfortable - 5/8" high-density nitrile-blended cushion SIZES runs edge-to-edge and helps eliminate pressure to the 2' x 3' lower back and legs, providing superior comfort 3' x 5' • Safe - Certified high-traction by the National Floor Safety 3' x 10' Institute (NFSI); beveled edges will not crack or curl and Sizes are approximate. provide a safe transition from floor to mat • Durable - Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate • Versatile - High-heel safe; welding safe; ESD rating of electrically conductive; chemical resistant; surface is grease/oil proof and cushion is grease/oil resistant · Available in solid black or with OSHA-approved caution yellow borders on two sides Black Yellow Striped Border





#### **HOG HEAVEN PRIME® DÉCOR**


Anti-Fatigue · Slip-Resistant


#### 5/8" Product No. 4222

- Comfortable -5/8" high-density nitrile-blended cushion runs edge-to-edge and helps eliminate pressure to the lower back and legs, providing superior comfort
- SIZES 2' x 3' 3' x 5' 3' x 10' Sizes are

approximate.

- Safe Beveled edges provide a safe transition from floor to mat
- Durable Nitrile-blended cushion is molded, not glued, to the woven surface so it will not separate; high-heel safe; stain resistant
- Attractive Available in 5 subtle black and black/grey designs to compliment virtually any décor









Happy Fe





#### **HAPPY FEET®**

Anti-Fatigue · Slip-Resistant

	BLACK BORDER				
1/2"	Textured Surface	Product No. 465			
1/2"	Grip Surface	Product No. 475			
CAUTION YELLOW BORDER					
1/2"	Textured Surface	Product No. 466			
1/2"	Grip Surface	Product No. 476			

- Comfortable 1/2" dense foam cushion encapsulated in nitrile rubber provides
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); low profile beveled edges provide a safe floor-to-mat
- **Durable** Borders will not crack or curl; nitrile rubber surface is penetration proof
- Versatile Welding safe; grease/oil proof; chemical resistant; ESD rating of electrically
- Available in two surface types: textured surface for dry/ damp environments or grip surface for wet areas where additional traction is needed; Happy Feet with textured surface can be autoclave sterilized
- · Available in solid black or with OSHA-approved caution

**Caution Yellow** 

IADE IN THE

USA

MAT SIZES

2' x 3'

3' x 5'

Sizes are approximate.

LINKABLE

SIZES

Linkable

Linkable

34" x 61.25"

Middle


End 34" x 59.875"




#### **COMPLETE COMFORT**<sup>™</sup>

Anti-Fatigue · Slip-Resistant


- 5/8" without holesProduct No. 4945/8" with holesProduct No. 496
- **Comfortable** 5/8" thick nitrile/PVCblended foam provides superior antifatigue properties
- **Clean** Anti-microbial treatment provides lifetime protection from odors and degradation
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Easy to Clean Lightweight and flexible for easy handling and cleaning
- Grease and oil resistant; chemical resistant
- Available with drainage holes for use in wet areas















#### **CUSHION STATION**<sup>™</sup>

Anti-Fatigue · Slip-Resistant


X 🗘 🗘 🔇 X
Indoor

	without holes with holes	Product No. 370 Product No. 371
// 10	WILLI HUIGS	

- **Comfortable** 7/16" nitrile foam provides excellent anti-fatigue properties
- **Clean** Anti-microbial treatment provides lifetime protection from odors and degradation
- **Safe** Beveled edges provide a safe transition from the floor to the mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Versatile Grease/oil proof; chemical resistant; welding safe
- Easy to Clean Flexible construction makes this mat easy to clean; can be autoclave sterilized
- Available with drainage holes for wet area application

S	IZES
2	' x 3.2'
3	.2' x 5.3'
3	.2' x 8.3'
3	.2' x 12.3'
3	.2' x 16.1'
3	.2' x 20.1'
4	' x 5.92'
4	' x 8.3'
4	' x 12.3'
4	' x 16.1'
4	' x 20.1'

Sizes are approximate.



#### **COMPLETE COMFORT<sup>™</sup>II**

Anti-Fatigue · Slip-Resistant

#### 1/2" Product No. 594

- **Comfortable** 1/2" thick nitrile foam provides superior anti-fatigue properties
- **Clean** Anti-microbial treatment provides lifetime protection from odors and degradation
- **Safe** Beveled edges provide a safe transition from the floor to the mat
- **Versatile** Grease/oil proof; chemical resistant; welding safe
- Easy to Clean Flexible construction makes this mat easy to handle and clean







Sizes are approximate.

SIZES

2' x 3'


3' x 4' 3' x 5'

4' x 6'





www.mamatting.com





#### COMFORT FLOW<sup>™</sup> & COMFORT SCRAPE<sup>™</sup>

Slip-Resistant · Anti-Fatigue

3/8"	Comfort Flow	Product No. 420
3/8"	Comfort Scrape	Product No. 430

- Clean Bi-level design traps dirt/debris to prevent tracking; lifetime anti-microbial treatment prevents odors and degradation of the mat
   SIZES 2' x 3' 3' x 5' 4' x 6' 3' x 9'
- **Safe** Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Comfortable** High-density closed-cell nitrile rubber cushion provides excellent antifatigue qualities
- Versatile Grease and oil proof; chemical resistant; welding safe
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning
- Comfort Flow has drainage holes to allow liquids to flow through in wet environments





Comfort Scrape



Sizes are

approximate.

#### **COMFORT FLOW<sup>™</sup> HD**

Slip-Resistant · Flow Through · Anti-Fatigue

- 1/2" **Comfort Flow HD Modular Tile** Product No. 4430
- 1/2" **Comfort Flow HD Linkable Mats** Product No. 4434
- Comfort Flow HD Workstation Mat Product No. 4439 1/2"
- **Clean** Drainage holes allow liquid to flow-through; lifetime anti-microbial treatment prevents odors and
- degradation of the mat • Safe - Beveled edges provide a safe transition from floor to mat
- Comfortable High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- Versatile Grease and oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Easy to Clean Lightweight and flexible design ensures easy handling and cleaning
- Available as modular tiles, linkable mats, and workstation mats

#### MODULAR **TILE SIZES**


Corner tile 19.125" x 19.125" x 5/8" 37.375" x 37.375" x 5/8" Center tile 18" x 19.125" x 5/8" 36" x 37.375" x 5/8" Middle tile 18" x 18" x 5/8" 36" x 36" x 5/8"

LINKABLE MAT SIZES

Mat End 37.125" x 39" x 5/8" Mat Middle 36" x 39" x 5/8"

WORKSTATION MAT SIZES 39" x 39" x 5/8"














MADE IN THE USA



Middle Hog Heaven III Traffic . Modular Tiles **HOG HEAVEN III TRAFFIC MODULAR TILES MODULAR TILE** Side Caution Yellow Border SIZES 18" x 18" Center-01 18" x 18" x 5/8" Side-02 18" x 21.875" x 5/8" Corner-03 21.875" x 21.875" x 5/8" 36" x 36" Center Middle-01 36" x 36" x 5/8" Side-02 36" x 39.875" x 5/8" Corner-03 39.875" x 39.875" x 5/8" LINKABLE MAT SIZES Mat End Corner 39.875 x 43.75" x 5/8" **Caution Yellow Border** Mat Middle 36" x 43.75" x 5/8" US Patent 8,919,054

#### **HOG HEAVEN III TRAFFIC LINKABLE MATS** Black Border **Caution Yellow Border**







End



#### HOG HEAVEN III™ **TRAFFIC TILES & MATS**


Anti-Fatigue · Slip-Resistant

5/8"	Modular Tile 18"x 18"	Product No. 4477
5/8"	Modular Tile 36"x 36"	Product No. 4478
5/8"	Linkable Mats Black Border	Product No. 4491
5/8"	Linkable Mats Yellow Border	Product No. 4492

Hog Heaven III Traffic mats and tiles provide a customizable matting solution for workstations with cart traffic. They offer ergonomic qualities yet are firm enough to support traffic from heavy carts.

- Firm & Durable Solid nitrile rubber foam lasts for years, even under heavy cart traffic
- **Comfortable** High-density, closed-cell nitrile rubber provides anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time
- Versatile Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Mats and tiles are 5/8" thick and available with black or OSHAapproved caution yellow border







#### **SAFETY SCRAPE**<sup>™</sup>

Slip-Resistant

#### 3/16" Product No. 545

- Clean Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Suitable for Harsh Environments Grease/oil proof; chemical resistant
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning
- 1/8" nitrile rubber construction





Indoor or Outdoor

2%


SIZES

2' x 3' 3' x 5'

3' x 10'

4' x 6' 4' x 10'

Sizes are approximate.



2000 0 0 C Indoor





#### **TRACTION TREAD** Slip-Resistant

#### 1/8" Product No. 50

- Slip-Resistant & Safe Certified high-traction SIZES by the National Floor Safety Institute (NFSI) 2' x 3'
- **Durable** 1/8" solid nitrile rubber provides years of service life and will not crack or curl
- Versatile Grease/oil proof; chemical resistant; welding safe
- ESD rating of electrically conductive



3' x 5' 3' x 9'

3' x 12' 4' x 6'

4' x 9'

4' x 12'









#### **TRACTION TREAD SOFT**

Slip-Resistant · Anti-Fatigue


#### 1/4" Product No. 56

• Slip-Resistant & Safe - Certified high-traction by the National Floor Safety Institute (NFSI)	<b>SIZES</b> 2' x 3'
• <b>Comfortable</b> - 1/4" high-density nitrile rubber foam provides excellent anti-fatigue benefits	3' x 5' 3' x 9' 3' x 12'
• Odor Resistant - Anti-microbially treated to help prevent odors and degradation	4' x 6' 4' x 9' 4' x 12'
• <b>Durable</b> - Nitrile rubber foam provides years of service life and will not crack or curl	
• Versatile - Grease/oil resistant; chemical resistant; welding safe	
ESD rating of static discipative	Sizos ara

Traction Tread Soft

• ESD rating of static dissipative

Sizes are approximate.



#### WET STEP®

Slip-Resistant · Anti-Fatigue

#### 1/4" Product No. 789

- Slip-Resistant & Safe Drainage holes allow water SIZES to freely drain away; certified high traction by the 17" x 24" National Floor Safety Institute (NFSI) 2' x 3'
- **Comfortable** 1/4" high-density nitrile foam provides excellent anti-fatigue properties and feels great to bare feet
- Clean Anti-microbially treated to help prevent odors and degradation; mold and mildew resistant; anti-fungal
- Durable Nitrile rubber foam is UV resistant and lasts considerably longer than PVC (vinyl) foam
- Easy to Clean Can be autoclave sterilized, commercially laundered, or washed by hand
- Available in blue or grey

up to 20'. See price list for all additional sizes.

3' x 5' 3' x 10'

3' x 20'

Additional lengths

Sizes are approximate.



Grey

S.





# Floor Protection · Anti-Fatigue SURE CUSHION RIBBED

3/8" Product No. 415

• Ribbed PVC foam\*

SIZES	
2' x 3' 3' x 5' 3' x 12'	2' x 60' 3' x 60' 4' X 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### SURE CUSHION TEXTURE

#### 3/8" Product No. 425

Textured PVC foam\*

**SIZES** 2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### SURE CUSHION HEAVY DUTY

#### 1/2" Product No. 428

- PVC foam for heavy use areas\*
  80 mil solid vinyl surface combined with a non-closed
- **SIZES** 2' x 3' 3' x 12' 3' x 5' 3' x 60'
- Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.
- Beveled on all sides for safety

cell vinyl cushion back

SURE CUSHION YELLOW BORDER

#### 3/8" Product No. 427

 PVC foam with yellow border on two sides\* **SIZES** 2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### SURE TREAD V-GROOVE

#### 1/8" Product No. 505

- Solid vinyl
- Chemical resistant
- Provides protection for all types of floors from abuse due to chairs, tables and foot traffic
- Great for walkways, inclines and ramps
- Can be rolled for easy storage

SIZES 3' x 105' 4' x 105' Additional lengths available. Sizes are

approximate.

\* NOT guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.



IADE I THE

USA



Sure Cushion Texture

Sure Cushion Heavy Duty

Sure Cushion Yellow Border

#### SURE STRIDE®

Slip-Resistant



3/32" Sure Stride	Product No. 4450
Cutting Board	Product No. 4459
Cutting Knife	Product No. 4460

• Keeps Floors Dry - Retains up to 1 gallon of water per 10 linear feet; moisture barrier keeps liquids from soaking through to the floor

**SIZE** 2' x 25' roll 3' x 100' roll

- **Stays in Place** Adhesive backing keeps mat flat and in place, even with heavy cart and buggy traffic
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Odor Resistant Anti-microbially treated for protection from odors
- $\bullet$  Dries Quickly Mat dissipates water quickly for fast drying time
- Easy to Install Cut individual mats from the roll as needed
- Hassle Free Can be left in place during daily cleaning; floor scrubbers, vacuums, and mops will pass right over without causing damage

Tacki Bac

• Will perform for up to 4 months under normal use.

Cutting Board (sold separately

Cutting Kn











#### SURE STRIDE® PLUSH


Slip-Resistant · Carpeted (Wiper)

#### 3/16" Product No. 4457

• **Keeps Floors Dry** - Retains more than a gallon of water per 10 linear feet; moisture barrier keeps liquids from soaking through to the floor SIZE 3' x 30' roll

- Stays in Place Tacki-Back<sup>™</sup> adhesive keeps mat flat and in place, even with heavy cart and buggy traffic
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI)
- Odor Resistant Anti-microbially treated for protection from odors
- Dries Quickly Eco-friendly PET fabric dissipates water quickly for fast drying time
- Easy to Install Cut individual mats from the roll as needed
- Hassle Free Can be left in place during daily cleaning; floor scrubbers, vacuums, and mops will pass right over without causing damage
- Will perform up to 4 months under normal use.











www.mamatting.com



#### **SPECIALTY MATS**

Clean Stride® CleanShield® Urinal and Commode WaterHog® Forklift WaterHog® Eco Elevator Grease Hog Melt Step®



Specialty · Scraper/Wiper

3/8" Frame Only	Product No. 410
3/8" Frame with Carpet	Product No. 411
Inserts(60 sheets)	ProductNo.412

The Clean St esive surface that lean Stride adhe this mat ideal ms, server rooms, and other areas sensitive to dirt and dust particles.

• Clean & Dry - Raised nubs on the WaterHog mat remove dirt and moisture from shoes and trap it below foot level while the adhesive insert removes any remaining dirt or dust particles

Stride mat features a WaterHog mat followed by an adhe
at captures smaller dust and dirt. Just two steps on a Cl
esive insert removes over 90% of dirt particles, making t
for clean rooms, healthcare facilities, school gymnasium

Indoor

The Clean Stride adhesive insert is comprised of 60 layers of adhesive coated film. Each layer will perform many times before it must be peeled away. Each layer is numbered to ensure one sheet at a time removal and to indicate the number of layers remaining.



Yellow





www.mamatting.com



#### CLEANSHIELD® URINAL & COMMODE MATS

with Seep Guard Tacki Back

#### Urinal No. 4065 Commode No. 4055

- Effective Seep-Guard barrier eliminates urine seepage while the Tacki-Back adhesive keeps the mat in place; anti-microbially treated for lifetime odor protection SIZES
- Eco-Friendly PET fabric is made from 100% post-consumer recycled plastic bottles
- Attractive Surface features an attractive diamond design
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI)
- Easy-to-read 30-day Timestrip<sup>®</sup> indicates when it is time to replace the mat (step on/push to initially activate)















#### WATERHOG® FORKLIFT

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 1253 3" x 108' Roll Double Sided Tape Product No. 1049

- Durable Reinforced rubber nubs, backing, and fabric SIZE top are designed to withstand forklift traffic up to 14,000 pounds
  - 4' x 6' Sizes are

Red/Black

Indoor

approximate.

- Clean and Dry Bi-level surface removes dirt and moisture from wheels and trap it to minimize tracking; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Easy to Install Modular mats are easy to install and scalable for large applications; aggressive adhesive taping system (sold separately) keeps tiles from moving
- Available in 6 colors with 100 mil smooth SBR backing

Navy



Medium Grey

Medium Brown

SIZES

#### WATERHOG® ECO ELEVATOR

Dark Brown


Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 2298

 Clean & Dry - Raised nubs remove dirt, sand, and moisture from shoes and trap it below foot level: water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe


Charcoal

- Noise-Reducing Durable rubber border allows for easy, quiet transition of carts and luggage
- Eco-Friendly PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- Safe Beveled edges provide a safe transition from floor to mat
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Easy to Install Available in four sizes to fit most standard elevators
- Available in 8 colors with a classic rubber border









 6' power cord (120 volts) with GFCI switch as well as 6' extension cord are both sold separately

tomer pativiation termer pativiation BULARANTEED

Melt Step

6' cord + GFCI

# COVID-19 Response Products


Size: 3' x 5' Design Number: 3017378

# Social Distancing Runner Mats

# Add Your Logo Customize with your logo & colors of your choosing

Size: 3' x 13' When customizing reference design


number 3024244



Size: 3' x 10' Design Number: 3024243 Message Mats

These mats were designed to promote frequent hand washing/ sanitizing, social distancing, and safety.

- **Photographic-Quality Printing** Designs are digitally printed at 76 dpi (dots per inch), making these mats vibrant and easy-to-read
- **Eco-Friendly** PET (polyethylene terephthalate) carpet surface contains 50% post-consumer recycled content reclaimed from plastic bottles
- Fade & Stain Resistant PET yarn has excellent color-fastness and is resistant to fading from repeated washing/cleaning; PET yarn is naturally resistant to staining
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI)







#### **Message Mats**

These mats were designed to promote frequent hand washing/sanitizing, social distancing, and safety.



**Custom Designs** 

**Stock Messages** 

provide important messages or reminders

with heavy cart/buggy traffic

residue than floor decals

traction and slip resistance

• Sold in case/box; 6 mats per case

damage

• Provides Clear Messages - Mats can be placed at pivotal locations to

• Stays in Place – Adhesive backing keeps the mat flat and in place, even

• Hassle Free - Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing

• Won't Leave Residue - Sure Stride mats are less likely to leave a sticky

Odor Resistant - Anti-microbially treated for protection from odors
 Slip Resistant - Low-profile high-traction surface provides additional

• Will perform for up to 3 to 4 months under normal use











**Stock designs:** 



Sure Stride<sup>®</sup> Impressions Mats

Product No. 4427

Product No. 4428



Sizes are

approximate.

SIZES

17" x 17" 17" x 23.5"





# COVID-19 Response Products



#### Stick-and-Stand<sup>™</sup> Mats

Social Distancing Floor Markers · Specialty · Indoor

#### 3/32" Product No. 4464

- Provides Clear Direction Universal "stop sign" shape with shoe prints marks where customers should stand; mats can be placed at safe intervals in virtually any configuration SIZES
- **Stays in Place** Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
- Hassle Free Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing damage
- Won't Leave Residue Stick-and-Stand mats are less likely to leave a sticky residue than floor decals
- Odor Resistant Anti-microbially treated for protection from odors
- Slip Resistant Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use





#### Sure Stride<sup>®</sup> Directional Mats

Floor Marker  $\cdot$  Specialty  $\cdot$  Indoor

Product No. 4466

- Provides Clear Direction Mats can be rotated to provide directional cues in any direction
   Stays in Place Adhesive backing keeps the mat flat and in place, even with heavy cart/buggy traffic
   Hassle Free Mats can be left in place during daily floor cleaning; floor scrubbers, mops, and brooms will pass right over them without causing
- damage
  Won't Leave Residue Sure Stride mats are less likely to leave a sticky residue than floor decals

3/32"

- Odor Resistant Anti-microbially treated for protection from odors
- Slip Resistant Low-profile high-traction surface provides additional traction and slip resistance
- Will perform for up to 3 to 4 months under normal use







Sizes are

approximate.

Sizes are approximate.



These mats feature a 2' x 3' well that holds an abrasive insert and your StepWell<sup>™</sup> Sanitizing Mats preferred liquid sanitizer, followed by a 3' x 5' carpeted section to help Specialty · Indoor remove any excess moisture from shoes, reducing the likelihood of slips 3' x 7' Mat with Insert Product No. 835 following sanitation. Wash, wipe, and walk on safely! Inserts Product No. 836 SIZES Available in three designs ER • The insert serves as a splash guard and helps 3' x 7' Mat 20.5" x 33" Inserts dislodge any dirt or debris from the bottom of shoes so the fluid can reach the entire sole surface · Each mat includes one insert; additional inserts are available in packs of four • Well holds one insert and approximately 84 ounces (2.5 L) of sanitizing solution (not included) • Compatible with most sanitizing/disinfecting Sizes are **Nylon Carpet** Well with Insert solutions. Works best with quaternary and approximate. hydrogen peroxide sanitizing solutions. Nylon carpet dries shoes to reduce risk of slip-and-2'x3' well holds liquid sanitizer and abrasive fall accidents and protect floors from moisture insert to clean and disinfect shoes The StepWell Mat and StepWell Tray work best with quaternary StepWell<sup>™</sup> Sanitizing Tray and hydrogen peroxide sanitizing solutions; can be used with chlorine bleach solutions, but failure to adhere to Specialty · Indoor recommended concentrate can damage the product. Product No. 834 2' x 3' Tray with Insert • Quaternary ammonium should be used per recommended Product No. 836 Inserts dilution instructions on the label (for sanitizing level protection). • 3% hydrogen peroxide solutions can be used without further dilution. Like the StepWell Mat, this product is designed for shoe sanitation. It features a 2' • 6% chlorine bleach should be used at a concentration x 3' well that holds an abrasive insert and your preferred liquid sanitizer. A walk-off of 0.4% (0.5 oz. per gallon). Caution: Do not use mat as mat is recommended to follow the StepWell Tray in order to help remove excess a work surface to prepare bleach solution, as undiluted moisture from shoes, reducing the likelihood of slips and falls. bleach may cause permanent color loss. StepWell Mat (#835)



THINK



#### M+A Matting **Our Environmental Commitment**

M+A Matting is dedicated to environmental stewardship and strives to create a culture of conservation as a manufacturer and global supplier. We have funded and will continue to fund the research and development (R&D) of matting designed to keep facilities safe, clean, and comfortable.

As a leading manufacturer of matting, M+A has established R&D priorities intended to create sustainable products made from recycled materials whenever possible, and continually evaluates operational procedures looking for opportunities to implement practices that conserve resources and minimize waste.

#### **Conservation Through Innovation**

- Our SBR rubber compound contains 20% recycled rubber from car tires.
- Several of our mats are made with PET (polyethylene terephthalate), a synthetic fiber made from post-consumer recycled plastic bottles.
- » Our 27-ounce PET yarn contains 50% recycled content
- » Our 30-ounce PET fiber contains 100% recycled content; In 2018, M+A transformed more than 298 million plastic bottles (that might have otherwise ended up in a landfill or ocean) into WaterHog Eco mats.
- In 2018-19, we transitioned our 24-ounce polypropylene to a 24-ounce PET fiber with 100% recycled content. Both the original WaterHog line of mats and the WaterHog Eco line of mats are now made with 100% recycled PET.



#### **Reuse** • **Reduce** • **Recycle**



- We recycle nearly 1 million pounds of yarn and other synthetic materials, and approximately 200,000 pounds of paper and cardboard each year.
- Mountville Rubber, M+A Matting's sister company and rubber supplier, recycles approximately 1.25 million pounds of rubber annually.



# About M+A Matting

The M+A name represents two powerful brands – Mountville and Andersen – with nearly a century of combined experience developing and manufacturing mats designed to make environments safer, cleaner, and more comfortable.

## **A Brief History**

In 1963, the late Emmet Hart, with his wife Nancy by his side, established Mountville Mills. A little over a decade later, in 1974, the late Walter Andersen established The Andersen Company. Throughout the years, the companies drove innovations in their respective markets; Mountville in the textile rental market, and Andersen in the janitorial/sanitary supply markets. Driven by quality, innovation, and customer service, they paved the way for future generations of Harts and Andersens to expand the business. In 1999, these flagship brands joined forces to become the largest mat manufacturer in the world, and in 2018 we made the union official with a name change to M+A Matting.

For decades, we've been a symbol of quality and customer service. We're the driving force in the mat industry, developing the next generation of mats designed to provide superior safety, cleanliness, and comfort to workers and customers across the world. Whether you need entrance matting, logo matting, or anti-fatigue matting, M+A has you covered.

There are three principles that guide every action we take, every decision we make, and every mat we produce:

- Do the right thing.
- Do what is best for the customer.
- Drive improvements and innovation.

It is these core values that drive us to provide our customers with high-performance, high-quality matting and unparalleled customer satisfaction.





1.4.

11

16 10 11

BUSSILEIT.

16 242 0

Shark?

09/2019

M+A Matting • 340 Cross Plains BLVD • Dalton, GA 30721 800.241.4696 • 706.277.2551